

**SOS516**

**SOIL POLLUTION MANAGEMENT**

LECTURERS: Dr. J. K. Adesodun; Dr. A. A. Soretire;  
Dr. (Mrs.) S. J. Akinsete

## **1.0 The Environment**

1.1 Definition: Is all of the external factors affecting an organism. These factors may be other living organisms (biotic factors) or non-living variables (abiotic factors such as temperature, rainfall, day length, wind and ocean currents. The interactions of organisms with biotic and abiotic factors form an ecosystem. Ecosystem refer to organisms living in a particular environment such as forest or a coral reef and the physical parts of the environment that affect them.

### **1.2 Major Component**

The major components of the environment are:

1. The lithosphere i.e. the worlds of rock
2. The atmosphere i.e. the air
3. The hydrosphere, i.e. region occupied by water
4. Biosphere i.e. the living things
5. Pedosphere i.e. the soil

Note: Environment where all of those worlds interact are often the most complex and productive on earth, i.e. the soil.

## **2.0 Soil as Environmental Interface**

The importance of soil as a natural body derives in large part from its role as an interface between the worlds of rock, air, water and biosphere.

The concept of the soil as interface means different things at different scales. **At the scale of kilometres**, soil channel waters from rain to rivers and transfer mineral elements

from rocks to the oceans. They also run over and supply vast amount of atmospheric gases substantially influencing the global balance of methane and CO<sub>2</sub>. **At a scale of few meters**, soil forms the transition zone between hard rock and air, holding both liquid water and O<sub>2</sub> gas often used by plant roots. It transfers mineral elements from the earths' crust to its vegetation. It processes or stores the organic remains of terrestrial plants animals and man. **At a scale of few millimetres**, soil provides diverse microhabitats for air-breathing and aquatic organism, channels water and nutrients to plant roots and provides surface and solution vessels for thousands of biochemical reactions. Finally, **at a scale of a few micrometers and less**, soil provides ordered and complex surfaces, both mineral and organic that acts as templates for chemical reactions and interacts with water and solutes. Also, at this scale its tiniest mineral particles form micro-zones of electromagnetic charge that attract everything from bacterial cell wall to proteins to conglomerates of water molecules

### **3.0 Factors Threatening the Environment**

1. Population Growth- As number of people increases, crowding generates pollution, destroys more habitats and uses up additional natural resources. The major problem i.e. growth in population that is not accompanied by proper environmental planning.
2. Global Warming- Like the glass in a green house, certain gases in the earth's atmosphere permits the sun's radiation to heat the earth. At the same time, these gases retard the escape into space. The infrared energy radiated back out by earth. This process is referred to as the green house effect. These gases primarily CO<sub>2</sub>, CH<sub>4</sub>, N<sub>2</sub>O and water vapour insulate earth's surface, helping to maintain warm temperatures. However, when the concentration of these gases rise, they trap more heat within the atmosphere causing worldwide temperature to rise.

Others:

3. Depletion of the Ozone layer- Ozone layer is a thin band in the stratosphere (layer upper atmosphere) which serves to shield the earth from the sun's harmful ultraviolet rays.
4. Habitat destruction and species extinction
5. Air pollution
6. Water pollution
7. Ground water depletion and contamination
8. Chemical risks- Toxic substances that humans encounter regularly which poses health risks, e.g. 1. Pesticide residue in vegetables and crops; and 2. Mercury and others in fish i.e. Food chain problem.
9. Environmental Racism- Studies have shown that not all individual are equally exposed to pollution. For example, worldwide toxic waste sites are more prevalent in poorer communities.
10. Energy production- Typical example i.e. environmental effects of the fossil fuel age. Fossil fuel exploration/production contributes to global warming, air pollution, acid rain, etc

NOTE: There are a lot of international treaties to combat these global problems

#### **4.0 The Concept of Environmentalism**

Environmental quality seems to be a new topic when in fact; the current emphasis on environmental quality is a renewed interest in an old topic. We are becoming

increasingly aware that exposure to various substances may cause human health problems ranging from death to subclinical effects such as attention deficit syndrome. The natural tendency is to eliminate or reduce our exposure to substances that we suspect may adversely affect human health.

An environmentalist is a person who works towards solving environmental problems and environmentalism is an attitude by a group of individuals, perhaps the whole society that the environment takes a high priority in the decision-making process. A more philosophical approach categorizes an individual's attitude about the environment into one of the three groups, namely:

1. Egocentric- In which an individual's actions are guided solely by concern for him or herself
2. Homocentric- meaning concern for the human species
3. Ecocentric- meaning an overall concern for the environment.

Society as a whole and most individuals have progressed slowly from egocentric attitudes towards more ecocentric attitudes.

## **5.0 SOIL QUALITY AND FUNCTIONS OF SOIL**

### **Introduction**

As compared to the environment of compartments air and water, soil is an extremely complex system. This is due to a huge variety of soil properties and chemical, physical and biological system conditions. The combination of these makes the development of general rules for quantitative evaluation of soil quality impossible. This is because soils have a much higher buffering capacity than air and water. This

property (buffering capacity) is the capacity to allow contents of compounds, once present at optimum level, to increase without actual occurrence at negative effects.

### 5.1 Soil Quality in Relation to Soil Functions

The quality of soil is adversely influenced by contamination (pollution) of the system. The concepts of “contamination” and “pollution” of soil are used in a comparable way as they reflect only a difference in degree of drainage to the soil system. Any addition to soil, i.e. contaminants- meaning the compounds that may exert adverse effect on soil functioning. It can be defined as soil contamination. Because most soils do have a certain buffering capacity, it usually takes some time before the negative effects become apparent. Once this situation occur, the soil can be considered as polluted, which for all practical purposes means that malfunctioning or dysfunctioning of the soil is apparent due to abundant pressure or availability of the compounds. Such malfunctioning may refer to one specific function in a particular but sometimes also in combination of different functions are:

- 1) The bearing function: For instance as playground for children and for building of houses/structures.
- 2) The Plant growth function: This may refer to natural vegetation and the production of crops for animal and human consumption
- 3) The filtering function of water: Ground water as well as surface water
- 4) The ecological function of soil: With its contribution to element cycling as an important aspect

Proper functioning of soil as stated above imposes a wide variety of quality criterion. This strongly hampers the introduction of a quality assessment methodology with general applicability and validity. At first sight, the bearing function would probably be the least

demanding, at least once certain physical requirements are met. However, experience has shown that for building of houses, some minimal requirements of chemical conditions in the soil are needed; and a combination of use of the same site for waste disposal and later for urban expansion is not always without problems.

Methods to assess health risks for people living in an area where there is unconscious combination of soil usages or in polluted areas, requires insight in the quantitative relationships between pollutant exposure of the organism under consideration on one side and the resulting effects to be expected from the exposure on the other side.

In the case of human, the exposure pathways are:

- 1) Soil ingestion, especially for children
- 2) Inhalation of air ,containing volatile polluting compounds
- 3) Drinking water
- 4) Food in the form of plant products and animal products
- 5) Radiation exposure

As a result of the adverse effects of heavy metals and other contaminants, environmental agencies proposed critical levels in soil above which toxicity is considered to be possible. For example the Table below shows the normal range and critical total concentrations of heavy metals for soil (Kabata-Pendias and Pendias, 1984).

Elements	Normal range in soil(mg/kg)	Critical soil total conc(mg/kg)
Cd	0.01-2.0	3-8
Co	0.5-6.5	25-50
Cr	5-1500	75-100
Hg	0.01-0.5	60-125
Pb	2-300	100-400
Ni	2-750	100

## 6.0 POLLUTION AND CONTAMINATION

6.1 *Preface:* The term contaminant is often used synonymously with pollutant, although difference in the definitions would indicate that these terms are not interchangeable. Contaminant implies concentration of a substance is higher than would naturally occur but does not necessarily mean that the substance is causing any harm. However, pollution refers to a situation in which the concentration of a substance in which the concentration of a substance is higher than would naturally occur but also indicate that the substance is causing harm of some type. Therefore, a soil could be contaminated but not polluted. Pollution is often broadly categorized according to its source:

*Point-source pollution:* As the name implies, is pollution with a clearly identifiable point of discharge. E.g. waste water treatment plant etc

*Nonpoint-source pollution:* Is pollution without an obvious single point of discharge. E.g. Surface runoff of a commonly used lawn herbicide.

## 6.2 *Classification of Potential Pollutants*

---

Pollutant	Examples
Nutrients	N and P in commercial fertilizers, manures, biosolids Waste water treatment effluent
Agrochemicals	Insecticides ,herbicides, fungicides etc
Hazardous organic chemicals	Strong acids and bases
Acidification	Acid precipitation, acid mine drainage
Salinity or Sodidity	Saline irrigation water, salt water intrusion
Trace elements	Heavy metals, elements normally present at low Concentration in soil and plant
Sediments	Eroded soil in surface waters
Particulates	Dust (from wind erosion),volcanic dust ash
Greenhouse gases	CO <sub>2</sub> ,CH <sub>4</sub> and other relatively active gases
Smog form of compounds	Ozone, secondary products of fuel combustion

---

## 6.3 *Mechanism of Pollution Transport through soil*

### 6.3.1 Contaminant Fate and Transport

**FATE:** The environment plays a key role in the ultimate fate and transport of contaminants. The specific fate of contaminant following their release into the environment, depends on their chemical structure which is highly variable, abiotic factors within the receiving environment (e.g. organic carbon ,ph ,surface water) and interaction with the biotic environment which can result in degradation, transformation or bioconcentration of the contaminants. Once contaminants also reach the soil, they move in one of these directions:

- 1) Vapourized into the atmosphere without chemical change

- 2) Absorbed by soils, move downward through the soil in liquid or solution form and can be lost from the soil by leaching.
- 3) Undergo chemical reactions within or on the surface of the soil
- 4) Broken down by soil micro-organisms
- 5) Washed into streams and rivers in surface run-off
- 6) Taken up by plants or soil animal and move up the food chain

### **Transport Mechanisms**

Channels or contaminants are transported through soil principally by 3 mechanisms:

1. Massflow of dissolved chemicals within moving solution
2. Liquid diffusion within soil solution
3. Gaseous diffusion within soil air voids.

1. Massflow: Refers to the passive transport of dissolved solution within moving soil water which is approximated as the product of the volume flux of water times the dissolved solute concentration.

2. Liquid diffusion: Refers to the transport of the dissolved solutes within solution by intermolecular collision which moves the solutes from regions of higher solute density to lower solute density(concentration)

$$q_c = Ddc/dx$$

3. Vapour diffusion- Chemical Vapour

Molecules in the soil air spaces also undergo molecular collision and spread out by vapour diffusion which is expressed as the product of the vapour density or concentration gradient and a proportionality coefficient called the soil vapour diffusion coefficient

#### 6.4 LOSS PATHWAYS OF CONTAMINANTS IN SOIL

Contaminants added to a soil from the surface may leave the zone of incorporation by one of these three loss pathways.

1. Leaching takes place principally by mass flow and refers to the downward movement of the contaminants
2. Volatilization: Refers to the loss of contaminants in vapour form to the atmosphere through the soil surface
3. Degradation: Refers to the biological or chemical transformation of the contaminant to a different form with properties distinct from those of the contaminant prior to transformation.

##### *(Subsurface) Transformation Processes*

Transformation processes change the chemical structure of a compound which might result in one or more of the following

1. Detoxification: An irreversible change in a substance from a toxic to non-toxic form. This occurs most commonly when an organic substance breaks down into its inorganic constituents with water and CO<sub>2</sub> being the main by-products
2. Transtoxification: Inverse the conversion of one toxic compound to another toxic compound. In the process, toxicity may remain the same, increase or reduce
3. Toxification: Is the conversion of non-toxic compound to a toxic substance

## 6.5 TOXIC ELEMENTS IN THE ENVIRONMENT

Included among the toxic elements are heavy metals such as Ag, Cd, Cr, Co, Cu, Fe, Hg, Mo, Ni, Pb, Sn, Zn as well as lighter elements such as Al, Ag and Sc.

Under certain environmental conditions, these elements may accumulate to a toxic concentration and cause ecological drainage.

### 6.5.1 MAJOR SOURCES

1. Naturally occurring contaminations, natural emissions of toxic elements to the atmosphere can take place by volcanic outputs or outgassing, and by vapour-phase of relative volatile elements such as As, Hg and Se. We can have contamination from metalliferous sites.
2. Anthropogenic sources of toxic elements

Agricultural practice: From long-term use of pesticides sewage sludge (ie by-product of secondary treatments of municipal sewage)

Pollution from (metal) mining and processing: Pollution from toxic elements is association with various aspects of mining and processing industries. Mining produces ore as a product along with a considerable amount of metal-contaminated wastes pollution around mines is caused by dumping of contaminated overburden, excavating wastes etc

Oil pollution: The contaminations of soil and ground water with mineral oils, hydrocarbons or mineral oil-based products are among the most common negative effect of the industrial society.

## **7.0 MAJOR CONSEQUENCES OF CHEMICALLY DEGRADED SOILS**

1. Environmental pollution / contamination
2. Bioaccumulation in plants and animals tissue
3. Accumulation of heavy metals
  - a) Narrow Concentration Range – The margin between beneficial and harmful is narrow
  - b) Food Chain – Plants, animals and humans
4. Eutrophication

### **Prevention of Inorganic Chemical Contamination**

1. Reduce the application to soil
2. Immobilize the toxins – maintain  $\text{pH} \geq 7.0$
3. Removal of toxins – Remediation (“Clean up”)

### **Physical Remediation**

1. Incineration
2. Vacuum Extraction
3. Soil washing / Flushing
4. Leaching
5. Heating

### **Biological Remediation (Bioremediation)**

1. Microbial Action

## 2. Phytoremediation

- i) Phyto Extraction - *Hyperaccumulation*
- ii) Enhanced Rhizosphere Phytoremediation
- iii) Phytostabilization
- iv) Phytodegradation
- v) Phytovolatilization

## **Greenhouse Gas Emissions and Mitigation**

What are greenhouse gases (GHGs)?

- Gases that create a greenhouse effect over the earth surface, thereby increasing the temperature of the earth.
- The principal GHGs are carbon dioxide (CO<sub>2</sub>), Nitrous oxide (N<sub>2</sub>O), and methane (CH<sub>4</sub>). Other GHGs include chlorofluorocarbons.

## **Causes of GHG Emissions**

1. Fossil fuel combustion
2. Land use change i.e. deforestation, biomass burning
3. Agricultural sources of carbon (CO<sub>2</sub>):
  - Operation of farm machinery
  - Fertilizers and agricultural lime
  - Pesticides

- Irrigation
- Seed production

### **Impact on global climate change**

Increased temperatures

2. Severe droughts
3. Floods
4. Sea level rise

### **Mitigation**

One major way of reducing GHGs emission is *Soil Carbon Sequestration*.

Carbon Sequestration is the process of carbon storage in soils. Consequently soils could act as carbon “sinks”.

“Sinks” - Forest soils, grassland soils, ocean, agricultural land

### **Effects of Global Warming**

The resultant effect of greenhouse gases emissions is largely seen in global warming.

- Weather - climate change
- Ice/glacier melt
- Sea level
- Agriculture
- Plants and Animals
- Human health

## **8.0 ENVIRONMENTAL EFFECTS OF ORGANIC, INORGANIC AMENDMENTS AND AGROCHEMICALS**

### **8.1 INTRODUCTION**

Over the past century humans have introduced a large number of chemical substances into the environment. Some are the waste from industrial and agricultural processes. Some have been designed as structural materials and others have been designed to perform various functions such as improving crop growth or killing pests and weeds. Obviously some chemicals are useful but many are toxic and their harm to the environment and our health far outweighs their benefit to society. We need to manage the risks better by only using chemicals, which are safe.

#### **Agrochemical**

—Any substance used in the management of an agricultural ecosystem, including fertilizers, pH-adjusting agents, soil conditioners, pesticides, and crop-growth regulators.

#### **Fertilizer**

—An agrochemical that is added to soil to reduce or eliminate nutrient-caused constraints to crop productivity. Fertilizers are substances that are added to farmlands to encourage plant growth and to increase crop yields.

#### **Soil conditioners**

—Substances added to soil to improve its aeration and water-holding capacity, with great benefits in terms of crop growth. Various organic compounds can be used as soil conditioners, but compost is the best. Materials used as soil conditioners include peat, livestock manure, sewage sludge, and even shredded newspapers

#### **Pesticide**

- Any substance or mixture of substances intended for preventing, destroying, repelling or mitigating any pest. A pesticide may be a chemical substance,

biological agent (such as a virus or bacterium), antimicrobial, disinfectant or device used against any pest.

### **Detrimental Effects of Agrochemicals on the Environment**

The use of certain agrochemicals has also been associated with some important environmental ecological damages as outlined below:

#### **1) Fertilizers:**

**i) Groundwater contamination:** Excessive use of fertilizers can lead to the contamination of groundwater with nitrate, rendering it unfit for consumption by humans or livestock. Water containing large concentrations of nitrate can poison animals by immobilizing some of the hemoglobin in blood, reducing the ability to transport oxygen.

**ii) Eutrophication:** In addition, the run-off of agricultural fertilizer into streams, lakes, and other surface waters can cause an increased productivity of those aquatic ecosystems, a problem known as eutrophication. It starts by increasing the amount of phytoplankton in the water, this then blocks out the sunlight, which leads to plants being unable to photosynthesise, which in turn means that the fish and other creatures don't have anything to eat, which means they die and then in turn so do other animals that depend on them such as birds.

**2) Pesticides:** The use of pesticides raises a number of environmental concerns. Over 98% of sprayed insecticides and 95% of herbicides reach a destination other than their target species, including non-target species, air, water and soil.

#### **i) Air pollution by pesticides**

Pesticides can contribute to air pollution. Pesticide drift occurs when pesticides suspended in the air as particles are carried by wind to other areas, potentially contaminating them. Pesticides that are applied to crops can volatilize and may be blown by winds into nearby areas, potentially posing a threat to wildlife.

## **ii) Water pollution by pesticides**

There are four major routes through which pesticides reach the water:

- a) it may drift outside of the intended area when it is sprayed,
- b) it may percolate, or leach, through the soil,
- c) it may be carried to the water as runoff or it may be spilled, for example accidentally or through neglect. d) it may also be carried to water by eroding soil.

There are some factors that also affect pesticide's ability to contaminate water and these include:

- a) its water solubility,
- b) the distance from an application site to a body of water,
- c) weather,
- d) soil type,
- e) presence of a growing crop, and
- f) the method used to apply the chemical.

## **iii) Soil pollution by pesticides**

Many of the chemicals used in pesticides are persistent soil contaminants, whose impact may endure for decades and adversely affect soil conservation. The use of pesticides decreases the general biodiversity in the soil. Not using the chemicals results in higher soil quality with the additional effect that more organic matter in the soil allows for higher water retention. This helps increase yields for farms in drought years, when organic farms have had yields 20-40% higher than their conventional counterparts. A smaller content of organic matter in the soil increases the amount of pesticide that will leave the area of application, because organic matter binds to and helps break down pesticides.

## **Effect of pesticides on plants**

- i) It hinders nitrogen fixation in legumes. The insecticides DDT, methyl parathion, and especially pentachlorophenol have been shown to interfere with legume-rhizobium chemical signaling. Reduction of this symbiotic chemical signaling results in reduced nitrogen fixation and thus reduced crop yields.
- ii) Pesticides can kill bees and they are strongly implicated in pollinator decline and the loss of species that pollinate plants.
- iii) On the other side, pesticides have some direct harmful effect on plant including poor root hair development, shoot yellowing and reduced plant growth.

## **Effect on animals**

Pesticides inflict extremely widespread damage to biota, and many countries have acted to discourage pesticide usage through their Biodiversity Action Plans.

- i) Animals may be poisoned by pesticide residues that remain on food after spraying, for example when wild animals enter sprayed fields or nearby areas shortly after spraying.
- ii) Widespread application of pesticides can eliminate food sources that certain types of animals need, causing the animals to relocate, change their diet, or starve.
- iii) Poisoning from pesticides can travel up the food chain; for example, birds can be harmed when they eat insects and worms that have consumed pesticides.
- iv) Some pesticides can bioaccumulate, or build up to toxic levels in the bodies of organisms that consume them over time, a phenomenon that impacts species high on the food chain especially hard.
- v) Some pesticides come in granular form, and birds and other wildlife may eat the granules, mistaking them for grains of food. A few granules of a pesticide is enough to kill a small bird.
- vi) The herbicide paraquat, when sprayed onto bird eggs, causes growth abnormalities in embryos and reduces the number of chicks that hatch

successfully, but most herbicides do not directly cause much harm to birds. Herbicides may endanger bird populations by reducing their habitat.

- vii) Fish and other aquatic biota may be harmed by pesticide-contaminated water. Pesticide surface runoff into rivers and streams can be highly lethal to aquatic life, sometimes killing all the fish in a particular stream.

### **Effect on Humans**

Pesticides are implicated in a range of impacts on human health due to pollution

- i) Pesticides can enter the human body through inhalation of aerosols, dust and vapor that contain pesticides; through oral exposure by consuming food and water; and through dermal exposure by direct contact of pesticides with skin.
- ii) Pesticides are sprayed onto food, especially fruits and vegetables, they secrete into soils and groundwater which can end up in drinking water, and pesticide spray can drift and pollute the air.
- iii) Exposure to pesticides can range from mild skin irritation to birth defects, tumors, genetic changes, blood and nerve disorders, endocrine disruption, and even coma or death.

### **Pest resistance**

Pests may evolve to become resistant to pesticides. Many pests will initially be very susceptible to pesticides, but some with slight variations in their genetic makeup are resistant and therefore survive to reproduce. Through natural selection, the pests may eventually become very resistant to the pesticide.

### **3) Persistent organic pollutants**

Persistent organic pollutants (POPs) are compounds that resist degradation and thus remain in the environment for years. Some pesticides, including aldrin, chlordane, DDT, dieldrin, endrin, heptachlor, hexachlorobenzene, mirex, and toxaphene, are considered POPs. POPs have the ability to volatilize and travel great distances through the atmosphere to become deposited in remote regions.

## **9.0 WASTE DISPOSAL; EVALUATION AND MANAGEMENT OF CONTAMINATED SITES**

### **9.1 INTRODUCTION**

#### **What is waste?**

Waste is any plastics, paper, glass, metal, foods, chemicals, wood, oil, soil, effluents, liquids that have been discarded. How the waste gets generated is from commercial, household and industrial sources. Sewage sludge is another source. Domestic and municipal waste is generated by the consumption of goods, manufacturing, sewage treatment, agriculture, the production & disposal of hazardous substances and construction. They are essential parts of the process of production as the emission of carbon dioxide by human is part of breathing process. From time immemorial, waste disposal has been a problem, and after industrialization the problem has only compounded. In the past, trash was carried to the outskirts of cities and discarded in the open, but now that can no longer be done. Over time, various waste disposal methods have been devised, like compost, burning, landfill, biological reprocessing, etc. However, before going to these details, we need to understand the different kinds of wastes.

#### **Types of Wastes**

There are basically three types of wastes generated and they are classified based on their chemical, biological and physical characteristics viz:

- a) **Solid wastes** include materials like mining wastes and industrial wastes besides household garbage.
- b) **Liquid wastes** are those in which the composition of solids is less than 1% and there is a high concentration of metals and salts.
- c) **Sludge** contains a mixture of solid and water.

#### **What is Waste Disposal?**

**Waste Disposal** is the management of waste to prevent harm to the environment, injury or long term progressive damage to health. Disposal of waste is where the intention is to

permanently store the waste for the duration of its biological and chemical activity, such that it is rendered harmless. Disposal of wastes can be made to three locations namely surface water, atmosphere and land. The land represents not only the appropriate disposal medium for many wastes but also provides opportunity to manage wastes with a minimum of adverse environmental effects. Disposal of waste could be done through the following methods.

## Methods of Waste disposal

### 1. Integrated waste management (IWM)

Integrated waste management using LCA (life cycle analysis) attempts to offer the best option for waste management. IWM entails using a combination of techniques and programmes to manage the municipal/urban waste stream.

### 2. Landfill

Disposing of waste in a landfill involves burying the waste, and this remains a common practice in most countries. Landfills were often established in abandoned or unused quarries, mining voids or borrow pits. A properly designed and well-managed landfill can be a hygienic and relatively inexpensive method of disposing of waste materials.

<b>Advantages:</b>	<b>Disadvantages:</b>
<ul style="list-style-type: none"><li>• volume can increase with little addition of people/equipment</li><li>• filled land can be reused for other community purposes</li></ul>	<ul style="list-style-type: none"><li>• completed landfill areas can settle and requires maintenance</li><li>• requires proper planning, design, and operation</li></ul>

### 3. Incineration

Incineration is a disposal method in which solid organic wastes are subjected to combustion so as to convert them into residue and gaseous products. This method is useful for disposal of residue of both solid waste management and solid residue from waste water management.

<b>Advantages:</b>	<b>Disadvantages:</b>
<ul style="list-style-type: none"> <li>• requires minimum land</li> <li>• can be operated in any weather</li> <li>• produces stable odor-free residue</li> <li>• refuse volume is reduced by half</li> </ul>	<ul style="list-style-type: none"> <li>• expensive to build and operate</li> <li>• high energy requirement</li> <li>• requires skilled personnel and continuous maintenance</li> <li>• unsightly - smell, waste, vermin</li> </ul>

#### **4. Recycling**

Recycling refers to the collection and reuse of waste materials such as empty beverage containers. The materials from which the items are made can be reprocessed into new products. Material for recycling may be collected separately from general waste using dedicated bins and collection vehicles, or sorted directly from mixed waste streams.

<b>Advantages:</b>	<b>Disadvantages:</b>
<ul style="list-style-type: none"> <li>• key to providing a livable environment for the future</li> </ul>	<ul style="list-style-type: none"> <li>• expensive</li> <li>• some wastes cannot be recycled</li> <li>• technological push needed</li> <li>• separation of useful material from waste may be difficult</li> </ul>

#### **5. Ocean Dumping**

This is the deposition of waste into the water bodies, particularly the ocean. Controversy surrounds ocean dumping as a waste disposal method. Although the waste may provide nutrients for some sea life, it's widely believed that the harmful effects would outweigh any benefits.

<b>Advantages:</b>	<b>Disadvantages:</b>
<ul style="list-style-type: none"> <li>• convenient</li> <li>• inexpensive</li> <li>• source of nutrients, shelter and breeding</li> </ul>	<ul style="list-style-type: none"> <li>• ocean overburdened</li> <li>• destruction of food sources</li> <li>• killing of plankton</li> <li>• desalination</li> </ul>

## **6. Open Dumping**

This method involves disposing waste on an open land. As simple as this is, it is not without its own shortcoming.

<b>Advantages:</b>	<b>Disadvantages:</b>
<ul style="list-style-type: none"> <li>• inexpensive</li> </ul>	<ul style="list-style-type: none"> <li>• health - hazard - insects, rodents etc.</li> <li>• damage due to air pollution</li> <li>• ground water and run-off pollution</li> </ul>

## **7. Biological reprocessing**

Waste materials that are organic in nature, such as plant material, food scraps, and paper products, can be recycled using biological composting and digestion processes to decompose the organic matter. The resulting organic material is then recycled as mulch or compost for agricultural or landscaping purposes

## **8. Energy recovery**

The energy content of waste products can be harnessed directly by using them as a direct combustion fuel, or indirectly by processing them into another type of fuel. Recycling through thermal treatment ranges from using waste as a fuel source for cooking or heating, to anaerobic digestion and the use of the gas fuel (see above), to fuel for boilers to generate steam and electricity in a turbine.

## 9. Avoidance and reduction methods

An important method of waste management is the prevention of waste material being created, also known as waste reduction. Methods of avoidance include reuse of second-hand products, repairing broken items instead of buying new, designing products to be refillable or reusable (such as cotton instead of plastic shopping bags), encouraging consumers to avoid using disposable products (such as disposable cutlery), removing any food/liquid remains from cans, packaging, and designing products that use less material to achieve the same purpose (for example, light weighting of beverage cans).

### Waste management

Waste management is the collection, transport, processing, recycling or disposal, and monitoring of waste materials. The term usually relates to materials produced by human activity, and is generally undertaken to reduce their effect on health, the environment or aesthetics. Waste management is also carried out to recover resources from it.

### Waste management concepts

There are a number of concepts about waste management which vary in their usage between countries or regions. Some of the most general, widely used concepts include:

- **Waste hierarchy** - The waste hierarchy refers to the "3 Rs" reduce, reuse and recycle, which classify waste management strategies according to their desirability in terms of waste minimization. The waste hierarchy remains the cornerstone of most waste minimization strategies. The aim of the waste hierarchy is to extract the maximum practical benefits from products and to generate the minimum amount of waste.
- **Extended producer responsibility** - Extended Producer Responsibility (EPR) is a strategy designed to promote the integration of all costs associated with products throughout their life cycle (including end-of-life disposal costs) into the market price of the product. Extended producer responsibility is meant to impose accountability over the entire lifecycle of products and packaging introduced to the market. This means that firms which manufacture, import and/or sell products are required to be responsible for the products after their useful life as well as during manufacture.
- **Polluter pays principle** – This is a principle where the polluting party pays for the impact caused to the environment. With respect to waste management, this generally refers to the requirement for a waste generator to pay for appropriate disposal of the waste.